





Occurrence of microplastics in the gastrointestinal tract of pelagic and demersal fish from the English Channel

A.L. Lusher^a, M. McHugh^b, R.C. Thompson^{a,*}

^aSchool of Marine Science and Engineering, Plymouth University, Drake Circus, Plymouth PL4 8AA, UK
^bMarine Biological Association of the United Kingdom, The Laboratory, Citadel Hill, Plymouth PL1 2PB, UK



FISH





^a State Key Laboratory of Estuarine and Coastal Research, East China Normal University, Shanghai 200062, China ^b Research Center for Analysis and Measurement, Donghua University, Shanghai 201620, China

 Contents lists available at ScienceDirect


 Environmental Pollution


 journal homepage: www.elsevier.com/locate/envpol

 Microplastics in bivalves cultured for human consumption


 Lisbeth Van Cauwenberghe®, Colin R. Janssen

 Chent University, Laboratory of Environmental Toxicology and Aquatic Ecology, Jozef Plateaustraat 22, 9000 Chent, Belgium





MICROPLISTICS : (



MICROPLASTICS IN THE FOOD CHAIN, ESPECIALLY IN FISH AND SHELLFISH COULD HAVE CONSEQUENCES FOR THE HEALTH OF HUMAN CONSUMERS... — GSAMP 2015

\$13 BILLION PER YEJR - UNEP 2014


8 MILLION TONES

£60.200 TONE

EJCH XEJB





























INCX KILCHEB

THE LEDW












WE NEED: YOUR WJSTE





WE NEED: £5,550



SPONSORSHIP

REDUCE MJSTE

SJVE ENVIRONMENT

PROMOTE YOUR COMPJNY

"COME LJKE J DIP"

georgewfoot@gmail.com